

## LORANTHACEÆ.

<i>Viscum album</i> (Mistletoe)	IV. 189
Parasitic on apple, lime, and other trees. April—May.	

## CAPRIFOLIACEÆ.

<i>Adoxa Moschatellina</i> (Moschatell)	IV. 198
Damp woods, etc. March—May.	
<i>Sambucus nigra</i> (Elder)	IV. 199
Hedges, etc. May—July.	
<i>Viburnum opulus</i> (Guelder Rose)	IV. 202
<i>V. Lantana</i> (Wayfaring-Tree)	IV. 203
Woods and hedges. May—June.	
<i>Lonicera Periclymenum</i> (Honeysuckle)	IV. 206
Hedges. May - September.	
<i>L. caprifolium</i> (Perfoliate Honeysuckle)	IV. 205
Tilehurst. May—August.	

## RUBIACEÆ.

<i>Galium cruciatum</i> (Crosswort)	IV. 213
Hedges. April—June.	
<i>G. verum</i> (Yellow Bed-straw)	IV. 214
Banks and pastures. June—September.	
<i>G. Mollugo</i> (Hedge Bed-straw)	IV. 216
Hedges. June—September.	
<i>G. saxatile</i> (Heath Bed-straw)	IV. 219
Heaths. June—August.	
<i>G. palustre</i> (Water Bed-straw)	IV. 221
Wet places. June—August.	
<i>G. sylvestre</i> (Wood Bed-straw)	IV. 219
Sulham. May—July.	

<i>G. uliginosum</i> (Rough Marsh Bed straw)	IV. 222
Burghfield. July—August.	
<i>G. Aparine</i> (Goose Grass)	IV. 225
Hedges, etc. (the commonest of the Galiums). June—August.	
<i>Asperula odorata</i> (Woodruff)	IV. 228
Woods and copses. May—June.	
<i>A. Cynanchica</i> (Squinancy-wort)	IV. 229
Chalky banks, etc., not common, Caversham Warren. May—September.	
<i>Sherardia arvensis</i> (Field Madder)	IV. 231
Fields, etc. March—October.	

### VALERIANACEÆ.

<i>Centranthus ruber</i> (Red Valerian)	IV. 230
Chalky places.	
<i>Valeriana dioica</i> (Small Marsh Valerian)	IV. 238
Wet places. April—June.	
<i>V. officinalis</i> (Great Wild Valerian)	IV. 235
Wet places. May—August.	
<i>Valerianella olitoria</i> (Corn Salad)	IV. 240
Cornfields, etc. April—June.	
<i>V. dentata</i> (Toothed Corn Salad)	IV. 243
Fields, Earley, Sulham, Englefield, etc. May—September.	

### DIPSACEÆ.

<i>Dipsacus sylvestris</i> (Wild Teasel)	IV. 245
Damp places, often by the river-side. July—September.	
<i>D. pilosus</i> (Small Teasel)	IV. 248
Copse, Burghfield. July—September.	
<i>Scabiosa succisa</i> (Præmorse Scabious)	IV. 250
Pastures, etc. June—August.	

<i>S. columbaria</i> (Small Scabious)	IV. 251
Chalky places occasionally, at Tilehurst and Caversham Warren. June—September.	
<i>S. arvensis</i> (Field Scabious)	IV. 252
Fields and waysides. June—August.	

### COMPOSITÆ.

<i>Onopordon Acanthium</i> (Scotch Thistle)	V. 2
Waste ground and roadsides. July—September.	
<i>Carduus tenuiflorus</i> (Slender-flowered Thistle)	V. 6
Many places on poor and sandy ground. July—August.	
<i>C. nutans</i> (Musk Thistle)	V. 7
Waste ground. May—September.	
<i>C. crispus</i> (Welted Thistle)	V. 7
<i>C. lanceolatus</i> (Spear Plume Thistle)	V. 10
Waste places. May—October.	
<i>C. palustris</i> (Marsh Thistle)	V. 12
In damp meadows, common. May—September.	
<i>C. pratensis</i> (Meadow Plume Thistle)	V. 14
Bulmershe, etc., not frequent. May—September.	
<i>C. acaulis</i> (Dwarf Plume Thistle)	V. 16
Streatley, etc. June—October.	
<i>C. arvensis</i> (Creeping Plume Thistle)	V. 17
Waste ground, etc. June—September.	
<i>Carlina vulgaris</i> (Carline Thistle)	V. 21
At Hardwicke, Mapledurham. June—September.	
<i>Arctium majus</i> (Common Burdock)	V. 23
Waste ground. June—September.	
<i>A. minus</i> (Burdock)	V. 24
Woods and hedges. July—September.	

Serratula tinctoria (Saw-wort)	V. 28
Earley, near Mortimer. June—September.	
Centaurea nigra (Black Knap-weed)	V. 31
Fields, etc., variety <i>decipiens</i> in Caversham Warren. October.	May—
C. Scabiosa (Greater Knap-weed)	V. 33
Caversham Warren and railway bank. May—October.	
C. Cyanus (Corn Blue-bottle)	V. 34
Cornfields. June—September.	
Chrysanthemum segetum (Corn Marigold)	V. 40
Fields, Tilehurst. May—October.	
C. Leucanthemum (Ox-eye Daisy)	V. 41
Meadows, etc. May—July.	
Matricaria inodora (Scentless May-weed)	V. 46
Waysides. June—October.	
M. Chamomilla (Wild Chamomile)	V. 48
Fields. May—August.	
M. Parthenium (Feverfew)	V. 43
Hedge-banks, near Arborfield. May—August.	
Anthemis Cotula (Stinking Chamomile)	V. 49
Cornfields. May—October.	
A. arvensis (Corn Chamomile)	V. 50
Cornfields, Hardwick, Tilehurst, Mortimer, etc. June—August.	
A. nobilis (Common Chamomile)	V. 53
Bearwood, etc. June—September.	
Achillea Millefolium (Yarrow)	V. 57
Roadsides, etc. May—September.	
A. Ptarmica (Sneezewort)	V. 59
Damp meadows, Bulmershe, Pangbourne, etc. June—August.	

<i>Artemisia vulgaris</i> (Wormwood)	V. 63
Waste ground and hedges. July—September.	
<i>Filago germanica</i> (Common Filago)	V. 67
Fields. June—September.	
<i>F. Apiculata</i>	V. 68
Sonning cutting, etc. June—September.	
<i>F. minima</i> (Least Filago)	V. 70
Waysides. June—September.	
<i>Gnaphalium uliginosum</i> (Cudweed)	V. 72
Fields. July—October.	
<i>G. sylvaticum</i> (Highland Cud-weed)	V. 74
Bulmershe. July—October.	
<i>Senecio vulgaris</i> (Groundsel)	V. 80
A common weed. January—December.	
<i>S. sylvaticus</i> (Mountain Groundsel)	V. 81
Earley Common, Mortimer. June—September.	
<i>S. squalidus</i> (Inelegant Ragwort)	V. 83
On the railway bank. April—October.	
<i>S. erucifolius</i> (Hoary Ragwort)	V. 84
Tilehurst. July—September.	
<i>S. Jacobaea</i> (Common Ragwort)	V. 85
Meadows. June—September.	
<i>S. aquaticus</i> (Marsh Ragwort)	V. 86
Marshy places. July—August.	
<i>Bidens cernua</i> (Nodding Bur-Marigold)	V. 93
<i>B. tripartita</i> (Trifid Bur-Marigold)	V. 94
Watery places. July—October.	
<i>Inula Conyzoides</i> (Ploughman's Spikenard)	V. 99
Hedges, etc. July—September.	

I. dysenterica (Flea-bane)	V. 102
Watery places. July—September.	
I. pulicaria (Small Fleabane)	V. 103
Roadside, near Burghfield. July—August.	
Bellis perennis (Common Daisy)	V. 104
Everywhere in grassy places. January—December.	
Erigeron acris	V. 108
Railway bank. July—August.	
Solidago Virga-aurea (Golden-rod)	V. 113
At Tilehurst, on hedge-bank. July—September.	
Tussilago Farfara (Colt's-foot)	V. 115
In clayey fields. March—May.	
Tanacetum vulgare (Tansy)	V. 44
Tilehurst. June—September.	
Petasites vulgaris (Butter-Bur)	V. 119
Banks of the Kennet at Burghfield, etc. March—May.	
Eupatorium cannabinum (Hemp-Agrimony)	V. 121
Wet places, river-side, etc. July—September.	
Cichorium Intibus (Chicory)	V. 122
Fields and roadsides. July—October.	
Lapsana communis (Nipplewort)	V. 125
Hedges and waste ground. July—September.	
Hypochaeris radicata (Long-rooted Cat's-ear)	V. 129
Pastures and banks. July—August.	
Apargia hirtum (Hairy Hawkbit)	V. 131
Sandy pastures, roadsides. May—September.	
A. hispidum (Rough Hawkbit)	V. 133
Meadows. May—September.	
A. autumnalis (Autumnal Hawkbit)	V. 134
Meadows, roadsides, &c. May—September.	

<i>Picris Hieracioides</i> (Hawk-weed Picris)	V. 136
Banks, etc. June—October.	
<i>Helminthia echiooides</i> (Prickly Ox-tongue)	V. 137
Caversham Warren, etc., not common. June—October.	
<i>Tragopogon pratensis</i> (Yellow Goat's-beard)	V. 138
Sides of meadows, Burghfield. June—July.	
<i>Taraxacum officinale</i> (Common Dandelion)	V. 142
Meadows, gardens, etc., a troublesome weed. March—October.	
<i>Lactuca muralis</i> (Ivy-leaved Lettuce)	V. 150
Wood at top of Streatley Hill, etc. June—August.	
<i>L. virosa</i> (Prickly Lettuce)	V. 145
Field at Whitley Wood, Pangbourne, etc. July—September.	
<i>Sonchus oleraceus</i> (Smooth Sow-thistle)	V. 153
Fields and a weed in gardens. June—August.	
<i>S. asper</i> (Rough Sow-thistle)	V. 154
<i>S. arvensis</i> (Corn Sow-thistle)	V. 154
Fields, etc. June—August.	
<i>Crepis virens</i> (Smooth Hawk's-beard)	V. 161
Banks, etc. July—August.	
<i>C. taraxacifolia</i> (Small Rough Hawk's-beard)	V. 158
Cornfields, Pangbourne, etc. May—August.	
<i>C. biennis</i> (Large Rough Hawk's-beard)	V. 161
Tilehurst. May—August.	
<i>Hieracium Pilosella</i> (Mouse-ear Hawk-weed)	V. 165
Banks, etc. May—August.	
<i>H. sciophilum</i>	
Railway banks. May—September.	
<i>H. sylvaticum</i> (Wood Hawkweed)	V. 196
Near Binfield. July—September.	

H. umbellatum (Narrow-leaved Hawk-weed)	V. 202
Woods and banks. July—September.	
H. sabaudum (Broad-leaved Hawkweed)	V. 204
Heaths, hedge and railway banks, Earley, Mortimer, etc. July—September.	

### CAMPANULACEÆ.

Jasione montana (Sheep's Scabious)	VI. 4
Bearwood. June—September.	
Campanula glomerata (Clustered Bell-flower)	VI. 8
Chalky banks, etc. June—September.	
C. Trachelium (Nettle-leaved Bell-flower)	VI. 9
Woods and hedges. July—September.	
C. rotundifolia (Hair-bell)	VI. 12
Heaths and pastures. July—September.	
Specularia hybrida (Corn Bell-flower)	VI. 17
In cornfields, but not very frequent. July—September.	

### ERICACEÆ.

Vaccinium Myrtillus (Whortleberry)	VI. 24
Plentiful in a wood near Mortimer. April—June.	
Erica Tetralix (Cross-leaved Heath)	VI. 37
E. cinerea (Fine-leaved Heath)	VI. 40
Heaths and moors. July—September.	
E. vagans (Cornish Heath)	VI. 41
Bulmershe. July—August.	
Calluna vulgaris (Ling)	VI. 43
Heaths and moors. July—September.	
Monotropa Hypopitys (Pine Bird's-nest)	VI. 53
Streatley Woods. July—September.	

## JASMINACEÆ.

<i>Fraxinus excelsior</i> (Ash)	VI. 56
Woods and hedges. April—May.	
<i>Ligustrum vulgare</i> (Privet)	VI. 60
Hedges. June—July.	

## APOCYNACEÆ.

<i>Vinca major</i> (Greater Periwinkle)	VI. 62
Norcot Lane. April—June.	
<i>V. minor</i> (Lesser Periwinkle)	VI. 63
Railway banks and borders of woods. April—June.	

## GENTIANACEÆ.

<i>Erythræa Centaurium</i> (Common Centaury)	VI. 67
Pastures, etc. June—September.	
<i>Chlora perfoliata</i> (Yellow-wort)	VI. 72
Chalky pastures. June—September.	
<i>Gentiana Amarella</i> (Autumnal Gentian)	VI. 75
Chalky pastures. July—October.	
<i>G. Pneumonanthe</i> (Marsh Gentian)	VI. 73
Hazeley Heath. August—September.	
<i>Menyanthes trifoliata</i> (Buckbean)	VI. 79
Burghfield Common and Mortimer. May—October.	
<i>Villarsia nymphæoides</i> (Fringed Water-lilly)	VI. 80
Ponds at Whiteknights and Aldermaston and in the Thames. July—August.	

## CONVOLVULACEÆ.

<i>Convolvulus arvensis</i> (Small Bind-weed)	VI. 85
Fields and roadsides. June—October.	

C. sepium (Great Bind-weed)	VI. 86
Hedges. June—October.	
Cuscuta Epithymum (Lesser Dodder)	VI. 91
Parasitic on heath, thyme, etc. June—October.	
C. europaea (Greater Dodder)	VI. 90
Parasitic on nettles, etc., Caversham Warren. July—September.	
C. Trifolii (Clover Dodder)	VI. 92
Shinfield, Sonning, etc. July—September.	

### SOLANACEÆ.

Solanum Dulcamara (Woody Nightshade)	VI. 95
Hedges, etc. June—August.	
S. nigrum (Black Nightshade)	VI. 96
Waste ground. June—October.	
Atropa Belladonna (Deadly Nightshade)	VI. 100
Fortunately not a common plant. It occurs in the meadows on the south side of the Warren Road. June—August.	
Hoscyamus niger (Henbane)	VI. 105
Town tip, Manor Farm. May—August.	

### SCROPHULARIACEÆ.

Verbascum Thapsus (Great Mullein)	VI. 110
Roadsides, etc. June—September.	
V. nigrum (Dark Mullein)	VI. 114
Roadsides. June—August.	
Scrophularia Balbisii (Figwort)	VI. 120
Wet places. June—September.	
S. nodosa (Knotted Figwort)	VI. 123
Moist bushy places. June—August.	
Digitalis purpurea (Foxglove)	VI. 127
Abundant in the cleared places in some woods. May—September.	

<i>Antirrhinum Orontium</i> (Lesser Snapdragon)	VI. 131
Cornfields at Tilehurst, etc., not very frequent. June—October.	
<i>A. majus</i> (Great Snapdragon)	VI. 130
Reading Abbey Ruins, etc. July—September.	
<i>Linaria Cymbalaria</i> (Ivy-leaved Toad-flax)	VI. 133
On walls at Caversham, etc. May—September.	
<i>L. Elatine</i> (Sharp-pointed Toad-flax)	VI. 134
<i>L. spuria</i> (Round-leaved Toad-flax)	VI. 135
Cornfields, not infrequently growing together. July—November.	
<i>L. repens</i> (Pale-blue Toad-flax)	VI. 139
Banks, etc., on the Mapledurham Road. June—October.	
<i>L. vulgaris</i> (Yellow Toad-flax)	VI. 140
Hedges, etc. June—October.	
<i>L. minor</i> (Least Toad-flax)	VI. 143
Chalk pit, Mapledurham Road. May—September.	
<i>Veronica hederæfolia</i> (Ivy-leaved Speedwell)	VI. 149
Fields, etc. February—July.	
<i>V. polita</i> (Grey Field Speedwell)	VI. 150
Fields, etc. April—September.	
<i>V. agrestis</i> (Field Speedwell)	VI. 151
Fields, etc. January—December.	
<i>V. Buxbaumii</i> (Buxbaum's Speedwell)	VI. 152
Fields, etc. April—October.	
<i>V. arvensis</i> (Wall Speedwell)	VI. 155
On walls and in fields. February—July.	
<i>V. serpyllifolia</i> (Thyme-leaved Speedwell)	VI. 157
Roadsides and waste ground. March—October.	
<i>V. officinalis</i> (Common Speedwell)	VI. 162
Generally on heaths and dry pastures. May—August.	

V. Chamædrys	VI. 164
Banks and meadows. March—July.	
V. montana	VI. 166
Woods. April—July.	
V. scutellata (Marsh Speedwell)	VI. 167
Marshy places, Bulmershe, etc. June—August.	
V. Anagallis (Water Speedwell)	VI. 168
V. Beccabunga (Brook-lime)	VI. 169
Streams and ditches, the latter species the more abundant. June—August.	
Euphrasia officinalis (Eye-bright)	VI. 171
Banks and pastures, Mapledurham Road, etc. May—September.	
Bartsia Odontites (Red Bartsia)	VI. 174
Fields, etc. June—September.	
Pedicularis palustris (Marsh Red-rattle)	VI. 178
Marshy ground, Burghfield, Sonning. May—September.	
P. sylvatica (Dwarf Red-rattle)	VI. 179
Heathy places. April—July.	
Rhinanthus Crista-galli (Yellow-rattle)	VI. 180
Damp meadows. May—July.	
Melampyrum pratense (Cow-wheat)	VI. 184
Woods. May—August.	

### OROBANCHACEÆ.

Lathræa squamaria (Toothwort)	VI. 189
Woods, Caversham and Pangbourne.	
Orobanche major (Greater Broom-rape)	VI. 193
Caversham Warren, parasitical. June—August.	
O. minor (Lesser Broom-rape)	VI. 199
March—May.	

## VERBENACEÆ.

<i>Verbena officinalis</i> (Vervain)	VI. 202
Roadsides, etc. July—October.	

## LABIATÆ.

<i>Lycopus europæus</i> (Gipsy-wort)	VII. 2
Banks of streams, etc. June—September.	
<i>Mentha sylvestris</i> (Horse-mint)	VII. 6
Watery places. August—September.	
<i>M. sativa</i>	VII. 15
Watery places. July—August.	
<i>M. arvensis</i> (Corn-mint)	VII. 21
Cornfields, etc. August—September.	
<i>M. pulegium</i> (Penny Royal)	VII. 23
Near ponds, Goring, Burghfield, Silchester Common.	August—
September.	
<i>Thymus Serpyllum</i> (Thyme)	VII. 25
Dry heathy places. June—September.	
<i>Origanum vulgare</i> (Marjoram)	VII. 29
Dry chalky places. July—September.	
<i>Calamintha Clinopodium</i> (Wild Basil)	VII. 31
Bushy places. July—September.	
<i>Calamintha Acinos</i> (Basil Thyme)	VII. 32
Dry places. June—October.	
<i>C. menthifolia</i>	VII. 34
Caversham Warren. July—October.	
<i>Melissa officinalis</i> (Balm)	VII. 37
Littlestead Green, Dunsden. July—August.	
<i>Nepeta Cataria</i> (Cat-mint)	VII. 38
Lane opposite chalk pit, Caversham Warren. July—September.	

<i>N. Glechoma</i> (Ground Ivy)	VII. 40
Hedge-banks, etc., abundant. March—June.	
<i>Salvia verbenaca</i> (Wild Sage)	VII. 42
Caversham Churchyard, Hardwick, etc. May—October.	
<i>Prunella vulgaris</i> (Self Heal)	VII. 46
Damp meadows, etc. June—August.	
<i>Scutellaria galericulata</i> (Greater Skull cap)	VII. 47
Riverside. June—September.	
<i>S. minor</i> (Lesser Skull-cap)	VII. 48
Marshy places, Bulmershe. June—September.	
<i>Ballota nigra</i> (Black Horehound)	VII. 52
Hedge-banks, etc. June—September.	
<i>Stachys Betonica</i> (Wood Betony)	VII. 54.
Copse, woods, etc. June—November.	
<i>S. palustris</i> (Marsh Woundwort)	VII. 57
Riverside and damp ground. June—September.	
<i>S. sylvatica</i> (Hedge Woundwort)	VII. 59
Hedges, etc. May—July.	
<i>S. arvensis</i> (Field Woundwort)	VII. 60
Earley, Padworth, etc. August—September.	
<i>Galeopsis Ladanum</i> (Red Hemp-nettle)	VII. 62
Gravelly fields, etc. June—August.	
<i>G. Tetrahit</i> (Common Hemp-Nettle)	VII. 65
Fields. June—October.	
<i>Lamium amplexicaule</i> (Henbit-Nettle)	VII. 69
<i>L. incisum</i> (Cut-leaved Dead-Nettle)	VII. 71
<i>L. purpureum</i> (Purple Dead-Nettle)	VII. 69
Cultivated fields, etc., the last a common wayside plant. February—August.	

<i>L. album</i> (White Dead-Nettle)	VII. 74
Hedges and waste ground. February—September.	
<i>L. Galeobdolon</i> (Yellow Dead-Nettle)	VII. 76
Damp woods and hedges, less common than the other species. April—June.	
<i>Ajuga reptans</i> (Common Bugle)	VII. 77
Moist meadows and woods. May—July.	
<i>Teucrium Scorodonia</i> (Wood Sage)	VII. 82
Woods, etc. August—September.	

### BORAGINACEÆ.

<i>Echium vulgare</i> (Viper's Bugloss)	VII. 88
Stony waste places, Mapledurham Road, Bowsey Hill, etc. April—September.	
<i>Lithospermum officinale</i> (Common Gromwell)	VII. 95
Tilehurst. Dry, stony, wayside places. May—August.	
<i>I. arvense</i> (Corn Gromwell)	VII. 96
Cultivated fields, not common. March—July.	
<i>Myosotis cæspitosa</i>	VII. 98
Damp places, Coleman's Moor, Earley, Theale, etc. May—September.	
<i>M. palustris</i> (Forget-me-not)	VII. 99
Watery places. April—August.	
<i>M. repens</i>	VII. 101
Padworth Common. July—September.	
<i>M. arvensis</i> (Field Scorpion Grass)	VII. 105
Fields and banks. May—September.	
<i>M. collina</i> (Early Field Scorpion Grass)	VII. 106
Dry banks, etc. April—June.	
<i>M. versicolor</i> (Parti-colored Scorpion Grass)	VII. 107
Fields and banks. April—July.	
<i>Borago officinalis</i> (Borage)	VII. 112
Gardens and waste ground, occasionally. July—August.	

<i>Anchusa arvensis</i> (Small Bugloss)	VII. 109
Edges of cornfields, etc. August—September.	
<i>Symphytum officinale</i> (Comfrey)	VII. 114
Banks of ditches and streams. May—August.	
<i>Cynoglossum officinale</i> (Common Hound's Tongue)	VII. 118
Mapledurham Road, waste ground skirting woods. June—August.	

### PINGUICULACEÆ.

<i>Utricularia vulgaris</i> (Common Bladderwort)	VII. 126
Ditches, Caversham meadows. July—August.	

### PRIMULACEÆ.

<i>Hottonia palustris</i> (Water Violet)	VII. 130
Ditches, Fobney meadows, near Sonning. April—August.	
<i>Primula vulgaris</i> (Primrose)	VII. 131
Woods, etc. February—September.	
<i>P. veris</i> (Cowslip)	VII. 133
Meadows, etc. March—May.	
<i>Lysimachia vulgaris</i> (Great Yellow Loosestrife)	VII. 144
Riverside. June—September.	
<i>L. Nummularia</i> (Money-wort)	VII. 148
Damp banks. June—August.	
<i>L. nemorum</i> (Wood Loosestrife)	VII. 149
Woods. April—October.	
<i>Anagallis arvensis</i> (Scarlet Pimpernel)	VII. 150
Fields and a weed in gardens, a pink variety common at Mortimer. May—November.	
<i>A. tenella</i> (Bog Pimpernel)	VII. 152
Marshy ground at Bulmershe. June—August.	
<i>Samolus Valerandi</i> (Brookweed)	VII. 155
Damp places, very rare. June—August.	

## PLANTAGINACEÆ.

<i>Plantago major</i> (Greater Plantain)	VII. 167
Roadsides. May—September.	
<i>P. media</i> (Hoary Plantain)	VII. 169
Meadows. May—October.	
<i>P. lanceolata</i> (Ribbed Plantain)	VII. 170
Meadows. April—July.	
<i>P. coronopus</i> (Buck's-horn Plantain)	VII. 173
Gravelly spots. June—August.	
<i>Littorella lacustris</i> (Shoreweed)	VII. 174
Bulmershe. June—July.	

## CHENOPODIACEÆ.

<i>Chenopodium Bonus Henricus</i> (Good King Henry)	VIII. 24
Waste ground, rare. May—September.	
<i>C. polyspermum</i> (Many-seeded Goosefoot)	VIII. 10
Waste ground, Mortimer and Padworth. July—September.	
<i>C. album</i> (White Goosefoot)	VIII. 13
Common everywhere in waste ground. July—September.	
<i>Atriplex angustifolia</i> (Narrow-leaved Orache)	VIII. 29
A common weed. July—October.	
<i>A. erecta</i>	VIII. 29
Waste ground, common. July—October.	
<i>A. deltoidea</i>	VIII. 31
Sonning. June—September.	

## POLYGONACEÆ.

<i>Rumex nemorosus</i> (Dock)	VIII. 41
Common in shady places. June—August.	

<i>R. conglomeratus</i> (Clustered Dock)	VIII. 40
Waysides. June—August.	
<i>R. obtusifolius</i> (Broad-leaved Dock)	VIII. 46
Waste places. May—September.	
<i>R. crispus</i> (Curled Dock)	VIII. 49
Shady places. May—October.	
<i>R. Hydrolapathum</i> (Great Water Dock)	VIII. 51
Ditches and ponds. May—September.	
<i>R. acetosa</i> (Common Sorrel)	VIII. 54
Meadows, abundant. May—August.	
<i>R. Acetosella</i> (Sheep's Sorrel)	VIII. 56
Dry fields. May—July.	
<i>Polygonum Convolvulus</i> (Climbing Persicaria)	VIII. 61
A weed in cultivated ground. June—October.	
<i>P. aviculare</i> (Common Knot Grass)	VIII. 63
Fields and gravel walks. June—October.	
<i>P. Hydropiper</i> (Water Pepper)	VIII. 70
Damp meadows, etc. June—October.	
<i>P. Bistorta</i> (Common Bistort)	VIII. 78
Damp meadows, etc. May—August.	
<i>P. Persicaria</i> (Spotted Persicaria)	VIII. 74
Waste ground, etc. June—October.	
<i>P. lapathifolium</i> (White Persicaria)	VIII. 75
Refuse heaps. July—September.	
<i>P. amphibium</i> (Amphibious Persicaria)	VIII. 77
Streams, ditches, etc. July—September.	

### THYMELÆACEÆ.

<i>Daphne Laureola</i> (Spurge Laurel)	VIII. 86
Woods, occasionally, Tilehurst and Hardwicke. February—April.	

**EUPHORBIACEÆ.**

Euphorbia Helioscopia (Sun Spurge)	VIII. 99
Cultivated ground. February—September.	
E. amygdaloides (Wood Spurge)	VIII. 105
Woods. April—July.	
E. Cyparissias	VIII. 107
In Sulham Woods. July—August.	
E. Peplus (Petty Spurge)	VIII. 111
Cultivated ground. May—November.	
E. Lathyris (Caper Spurge)	VIII. 113
Weed in gardens, not common. July—August.	
E. exigua (Dwarf Spurge)	VIII. 111
Cornfields, etc. June—November.	
Mercurialis perennis (Dog's Mercury)	VIII. 114
Woods and shady banks. February—May.	
M. annua (Annual Mercury)	VIII. 115
Railway banks. July—September.	

**URTICACEÆ.**

Urtica dioica (Great Nettle)	VIII. 127
A familiar weed. July—August.	
U. urens (Small Nettle)	VIII. 130
Roadsides and cultivated ground, but less frequent than <i>dioica</i> . June—September.	
Humulus Lupulus (Hop)	VIII. 133
Hedges. May—August.	
Parietaria officinalis (Pellitory)	VIII. 126
Reading Abbey. June—September.	

**AMENTIFERÆ.**

Ulmus suberosa (Common Elm)	VIII. 137
-----------------------------	-----------

<i>U. montana</i> (Wych Elm)	VIII. 141
March—April.	
<i>Quercus Robur</i> (Oak)	VIII. 145
April—May.	
<i>Fagus sylvatica</i> (Beech)	VIII. 164
March—April.	
<i>Corylus Avellana</i> (Hazel)	VIII. 170
February—April.	
<i>Carpinus Betulus</i> (Hornbeam)	VIII. 176
April—May.	
<i>Alnus glutinosa</i> (Alder)	VIII. 178
February—April.	
<i>Myrica Gale</i> (Bog Myrtle)	VIII. 189
Commons, Silchester, Sandhurst, etc. April—June.	
<i>Betula alba</i> (Birch)	VIII. 181
April—May.	
<i>Betula glutinosa</i> (Downy Birch)	VIII. 186
Common on heaths near Mortimer, etc. April—May.	
<i>Populus alba</i> (White Poplar)	VIII. 192
March—April.	
<i>P. tremula</i> (Aspen)	VIII. 196
March—April.	
<i>P. nigra</i> (Black Poplar)	VIII. 198
Kennet valley. March—April.	
<i>Salix triandra</i> (French Willow)	VIII. 215
River-sides. April—May.	
<i>S. fragilis</i> (Crack Willow)	VIII. 205
River-sides and osier-beds. April—May.	
<i>S. alba</i> (White Willow)	VIII. 210
River-sides. April—May.	

<i>S. viminalis</i> (Osier)	VIII. 223
Damp copses. April—May.	
<i>S. cinerea</i> (Grey Sallow)	VIII. 230
Hedges, etc., common. April.	
<i>S. aurita</i> (Round-leaved Willow)	VIII. 232
Sulhamstead, etc. April—May.	
<i>S. caprea</i> (Common Sallow)	VIII. 233
Hedges and copses, common. March—April.	
<i>S. repens</i> (Heath Willow)	VIII. 246
Heathy ground, Mortimer, Silchester Common, etc. April—May.	

### CONIFERÆ.

<i>Juniperus communis</i> (Juniper)	VIII. 273
Streatley Hill. May.	
<i>Taxus baccata</i> (Yew)	VIII. 277
February—April.	
<i>Pinus sylvestris</i> (Scotch Pine)	VIII. 264
Established on heaths and commons south of Reading. May.	

### LEMNACEÆ.

<i>Lemna trisulca</i> (Ivy-leaved Duckweed)	IX. 17
Thames ditches. June—July.	
<i>L. minor</i> (Common Duckweed)	IX. 21
Ponds and ditches, abundant. June—July.	
<i>L. polyrrhiza</i> (Greater Duckweed)	IX. 23
Ditches, Southcot, Aldermaston, etc. June—July.	
<i>L. gibba</i> (Humped Duckweed).	IX. 22
Ditches. June—September.	

**TYPHACEÆ.**

<i>Sparganium ramosum</i> (Branched Bur-reed)	IX. 5
Ditches and streams. June—July.	
<i>S. simplex</i> (Bur-reed)	IX. 6
Rivers, ponds, and brooks. July—August.	
<i>Typha latifolia</i> (Greater Reed-mace)	IX. 2
Standing water, Coltman's Moor, etc. June—July.	
<i>T. angustifolia</i> (Smaller Reed-mace)	IX. 4
Ponds and riversides. June—July.	

**ARACEÆ.**

<i>Arum maculatum</i> (Cuckoo-pint)	IX. 13
Hedges, etc. April—May.	
<i>Acorus Calamus</i> (Sweet Flag)	IX. 11
Banks of Thames. June—July.	

**ALISMACEÆ.**

<i>Sagittaria sagittifolia</i> (Arrow-head)	IX. 68
Streams and ditches. July—August.	
<i>Alisma Plantago</i> (Water Plantain)	IX. 70
Ditches, etc. May—August.	
<i>Butomus umbellatus</i> (Flowering Rush)	IX. 76
Thames, Kennet, etc. June—July.	

**HYDROCHARIDACEÆ.**

<i>Hydrocharis morsus-ranæ</i> (Frogbit)	IX. 78
A water plant, Bulmershe and Sonning. July—August.	
<i>Elodea canadensis</i> (Canadian Water-Thyme)	IX. 81
Running streams. July—September.	

## ORCHIDACEÆ.

<i>Orchis pyramidalis</i> (Pyramidal Orchis)	IX. 91
Chalky pastures, rare. May—June.	
<i>O. Morio</i> (Green-winged Orchis)	IX. 96
Meadows, Bulmershe. May—June.	
<i>O. mascula</i> (Early Purple Orchis)	IX. 97
Woods. May—July.	
<i>O. maculata</i> (Spotted Orchis)	IX. 101
Pastures. May—July.	
<i>Orchis latifolia</i> (Marsh Orchis)	IX. 100
Fobney and Burghfield. June—July.	
<i>O. militaris</i> (Soldier Orchis)	IX. 94
Streatley. May—June.	
<i>O. Simia</i> (Monkey Orchis)	IX. 95
Oxfordshire side of the Thames valley between Caversham and Goring, the only locality in which it is now recorded. May—June.	
<i>Gymnadenia conopsea</i> (Sweet-scented Orchis)	IX. 102
Sulham, Streatley, and wood, Mapledurham Road. June—July.	
<i>Habenaria bifolia</i> (Greater Butterfly Orchis)	IX. 105
In copses at Tilehurst, Pamber Forest, etc. June—July.	
<i>H. chlorantha</i> (Lesser Butterfly Orchis)	IX. 107
Silchester Common, Tilehurst, etc. June—July.	
<i>Ophrys apifera</i> (Bee Orchis)	IX. 111
Hardwick and Streatley. June—July.	
<i>Ophrys muscifera</i> (Fly Orchis)	IX. 114
Woods, Sulham, Pangbourne. May—June.	
<i>Spiranthes autumnalis</i> (Lady's Tresses)	IX. 115
Hardwick Park. August—September.	

<i>Listera ovata</i> (Tway-blade)	IX. 120
Woods, etc. May—August.	
<i>Neottia Nidus-avis</i> (Bird's-nest Orchid)	IX. 122
Woods, Streatley, near Pangbourne. May—July.	
<i>Epipactis latifolia</i> (Broad-leaved Helleborine)	IX. 124
Caversham Warren. August—September.	
<i>E. palustris</i> (Marsh Helleborine)	IX. 126
Bulmershe. July—August.	
<i>Cephalanthera grandiflora</i> (White Helleborine)	IX. 129
Woods, Sulham, Streatley, Whitchurch, etc. May—July.	

### IRIDACEÆ.

<i>Iris Pseudacorus</i> (Yellow Flag)	IX. 145
By the riversides and in streams. May—July.	
<i>I. foetidissima</i> (Gladwin)	IX. 143
Copse at Tilehurst. June—July.	

### AMARYLLIDACEÆ.

<i>Narcissus Pseudo-narcissus</i> (Common Daffodil)	IX. 157
Naturalized on banks of Loddon at Shinfield. Spring.	
<i>Leucojum aestivum</i> (Snowflake)	IX. 164
Meadows in the neighbourhood of the mouth of the Loddon River. April—June.	
<i>Galanthus nivalis</i> (Snowdrop)	IX. 167
Copse at Padworth. February—March.	

### DIOSCOREACEÆ.

<i>Tamus communis</i> (Black Bryony)	IX. 170
Hedges. May—July.	

## LILIACEÆ.

<i>Polygonatum multiflorum</i> (Solomon's Seal)	IX. 177
Copses, Sulham, Mortimer, Ufton, etc. April—July.	
<i>Ruscus aculeatus</i> (Butcher's Broom)	IX. 184
Woods. January—March.	
<i>Fritillaria Meleagris</i> (Fritillary)	IX. 188
Meadows, Burghfield. April—May.	
<i>Ornithogalum umbellatum</i> (Star of Bethlehem)	IX. 195
Caversham Warren, Streatley, etc. May—June.	
<i>Scilla nutans</i> (Hyacinth)	IX. 200
Woods and copses, etc. April—June.	
<i>Allium ursinum</i> (Broad-leaved Garlic)	IX. 218
Near Kent Woods, Tilehurst, and at Hardwick Woods. May—June.	
<i>A. vineale</i> (Crow Garlic)	IX. 210
Waysides. June—July.	
<i>Narthecium ossifragum</i> (Bog Asphodel)	IX. 222
Marshy ground, Bulmershe and Mortimer. June—August.	

## NAIADACEÆ.

<i>Triglochin palustre</i> (Marsh Arrow Grass)	IX. 65
Damp meadows, Theale, etc. June—August.	
<i>Potamogeton natans</i> (Floating Pondweed)	IX. 26
Ponds, ditches, abundant. June—July.	
<i>P. polygonifolius</i>	IX. 27
Boggy pools, Mortimer, etc. June—August.	
<i>P. fluitans</i>	IX. 30
The Loddon River, plentiful between Twyford and Loddon Bridge (see Druce). July—August.	
<i>P. lucens</i>	IX. 38
Rivers, canals, ponds, etc. June—July.	

<i>P. praelongus</i>	IX. 41
Common in the Thames. May—June.	
<i>P. perfoliatus</i>	IX. 42
In all rivers and canals. July—August.	
<i>P. crispus</i>	IX. 43
Ponds, streams, and ditches. June—July.	
<i>P. densus</i>	IX. 44
Streams, ditches, ponds, etc. June—August.	
<i>P. pectinatus</i> (Fennel-leaved Pondweed)	IX. 52
Kennet mouth, etc. July—August.	

### JUNCACEÆ.

<i>Juncus bufonius</i> (Toad Rush)	X. 34
Damp places by roadsides, etc. July—August.	
<i>J. squarrosum</i> (Heath Rush)	X. 38
Heathy commons. June—July.	
<i>J. glaucus</i> (Glaucous Rush)	X. 25
Ditches, etc., especially on clay. July.	
<i>J. effusus</i> (Loose-flowered Rush)	X. 21
<i>J. conglomeratus</i> (Clustered Rush)	X. 26
Both kinds common everywhere in damp places. July—August.	
<i>J. supinus</i> (Prostrate Rush)	X. 32
Margins of ponds, etc. June—August.	
<i>J. lamprocarpus</i> (Shining Rush)	X. 30
<i>J. acutiflorus</i>	X. 29
Both kinds frequent on damp heaths and commons. June—Aug.	
<i>Luzula pilosa</i> (Downy Wood-rush)	X. 5
Woods, especially on the chalk. May.	
<i>L. campestris</i> (Field Wood-rush)	X. 8
Abundant in dry pastures. April—May.	

L. multiflora	X. 9
Heaths near Mortimer, etc. The form <i>congesta</i> predominates.	June.

### CYPERACEÆ.

Eleocharis palustris (Club Rush)	X. 51
Damp meadows and pond margins, common.	June—July.
Scirpus caespitosus (Tufted Club Rush)	X. 55
Damp heaths, Padworth, etc.	May—August.
S. lacustris (Bulrush)	X. 62
In the Thames, frequent.	July—August.
S. setaceus (Bristly Club Rush)	X. 60
Coltman's Moor, sparingly.	July—August.
Eriophorum angustifolium (Cotton Grass)	X. 73
Coltman's Moor, bogs near Mortimer, etc.	May—June.
Rhynchospora alba (White Beak Rush)	X. 46
Silchester Common.	June—August.
Carex pulicaris (Flea Sedge)	X. 80
Bog near Burghfield.	June—July.
C. disticha	X. 88
Coltman's Moor.	May—June.
C. paniculata (Tussock Sedge)	X. 90
Canal side, Padworth.	April—June.
C. vulpina (Fox Sedge)	X. 91
Damp hedgerows.	May—September.
C. muricata	X. 92
Dry banks, Mortimer, etc.	May—June.
C. divulsa	X. 94
Hedge-banks, etc.	May—June.
C. echinata	X. 94
Boggy ground, Burghfield, etc.	May—June.

<i>C. remota</i>	X. 96
Wet woods. May—June.	
<i>C. ovalis</i>	X. 103
Boggy ground. May—June.	
<i>C. acuta</i> (Brown Sedge)	X. 109
River-banks. May—June.	
<i>C. flacca</i> (Carnation Grass)	X. 116
Chalk hills. April—May.	
<i>C. pilulifera</i> (Pill-headed Sedge)	X. 127
Dry heaths. May—June.	
<i>C. verna</i> (Early Sedge)	X. 129
Dry pastures. April—May.	
<i>C. panicea</i> (Pink Sedge)	X. 133
Heaths. May—June.	
<i>C. strigosa</i>	X. 141
Lane near Silchester Ruins. June—July.	
<i>C. sylvatica</i> (Wood Sedge)	X. 144
Woods near Caversham, etc. May—June.	
<i>C. binervis</i>	X. 147
Heaths, Mortimer, etc. April—June.	
<i>C. flava</i> (Yellow Sedge)	X. 156
Boggy ground, Burghfield, etc. May—June.	
<i>C. hirta</i> (Hairy Sedge)	X. 161
Meadows and road-sides. April—June.	
<i>C. vesicaria</i>	X. 170
Plentiful at Pond Farm, Mortimer West.	
<i>C. acutiformis</i>	X. 165
River-sides. May—June.	
<i>C. Pseudo-cyperus</i>	X. 163
Pond Farm, Mortimer West. June—July.	

C. riparia	X. 167
Banks of the Thames, common. May—June.	

## GRAMINEÆ.

Setaria viridis (Green Panick Grass)	XI. 13
Cultivated ground, casual. July—August.	
Phalaris arundinacea (Ribbon Grass)	XI. 19
Common by water-side. June—July.	
Anthoxanthum odoratum (Sweet Vernal Grass)	XI. 17
Meadows, common. April—June.	
Alopecurus myosuroides (Black Foxtail)	XI. 22
Fields. April—September.	
A. geniculatus (Jointed Foxtail Grass)	X. 25
Wet places. May—September.	
A. pratensis (Meadow Foxtail Grass)	X. 27
Meadows. April—June.	
Milium effusum (Wood Millet Grass)	X. 60
Shady woods, Mapledurham, etc. May—July.	
Phleum pratense (Timothy Grass)	X. 31
Meadows. June—September.	
Agrostis canina (Heath Bent Grass)	X. 46
Dry commons. July—August.	
A. palustris (March Bent Grass)	X. 47
Moist meadows, common. June—July.	
A. vulgaris (Common Bent Grass)	X. 49
Very common. June—August.	
Apera Spica-venti (Silky Bent Grass)	X. 43
Earley Rise. July—September.	
Aira caryophyllea (Silvery Hair Grass)	X. 69
Dry fields south of Reading. May—June.	

<i>A. praecox</i> (Early Hair Grass)	XI. 71
Commons and dry banks. April—June.	
<i>Avena fatua</i> (Wild Oats)	XI. 79
Frequent in cornfields, especially near Dunsden. June—July.	
<i>Deschampsia caespitosa</i> (Tufted Hair Grass)	XI. 64
Bogs and shady woods, common. June—August.	
<i>D. flexuosa</i> (Heath Hair Grass)	XI. 67
Mortimer, Aldermaston, etc. June—July.	
<i>Holcus mollis</i> (Creeping Soft Grass)	XI. 83
Woods and hedges. June—July.	
<i>H. lanatus</i> (Meadow Soft Grass)	XI. 84
Meadows. May—July.	
<i>Trisetum pratense</i> (Yellow Oat Grass)	XI. 73
Meadows, not frequent. June—July.	
<i>Avena pubescens</i> (Downy Oat Grass)	XI. 74
Padworth, etc. May—July.	
<i>Arrhenatherum avenaceum</i> (Common Oat Grass)	XI. 81
Hedgerows, etc., common. May—July.	
<i>Koeleria cristata</i>	XI. 88
Whitchurch.	
<i>Sieglungia decumbens</i> (Heath Grass)	XI. 87
Heathy commons. April—July.	
<i>Phragmites communis</i> (Common Reed)	XI. 58
Reed-beds by Kennet. June—August.	
<i>Cynosurus cristatus</i> (Dog's-tail Grass)	XI. 133
Meadows and road-sides. May—August.	
<i>Molinia varia</i> (Purple Melic Grass)	XI. 90
Heaths, abundant. July—September.	
<i>Catabrosa aquatica</i> (Water Whorled Grass)	XI. 94
Woodley. May—July.	

<i>Melica uniflora</i> (Melic Grass)	XI. 93
Woods, Caversham, Mapledurham, etc. May—July.	
<i>Dactylis glomerata</i> (Cock's-foot Grass)	XI. 136
Common. May—July.	
<i>Briza media</i> (Totter Grass)	XI. 130
Chalk pastures and bogs. May—July.	
<i>Poa annua</i> (Annual Meadow Grass)	XI. 111
Abundant. January—December.	
<i>P. nemoralis</i>	XI. 122
Shady places, common. April—June.	
<i>P. pratensis</i> (Smooth-stalked Meadow Grass)	XI. 127
Common everywhere. May—August.	
<i>P. trivialis</i> (Rough-stalked Meadow Grass)	XI. 129
Common. May—July.	
<i>Glyceria fluitans</i> (Flote Grass)	XI. 96
Ditches, etc. June—August.	
<i>G. aquatica</i> (Reed Meadow Grass)	XI. 100
Riversides. July—August.	
<i>Festuca sciurooides</i> (Squirrel-tail Grass)	XI. 142
Heaths and banks. May—June.	
<i>F. ovina</i> (Sheep's Fescue Grass)	XI. 143
Pastures. May—June.	
<i>F. rubra</i> (Red Fescue Grass)	XI. 147
Pastures. June—August.	
<i>F. elatior</i> (Tall Fescue Grass)	XI. 150
Damp meadows by Thames and Kennet. June—August.	
<i>Bromus giganteus</i> (Tall Brome Grass)	XI. 155
Shady places. July—August.	
<i>B. erectus</i> (Upright Brome Grass)	XI. 159
Chalk downs, abundant. June—August.	

<i>B. sterilis</i> (Barren Brome Grass)	XI. 163
Waysides, common. June—August.	
<i>B. mollis</i> (Soft Brome Grass)	XI. 169
Common. May—August.	
<i>Brachypodium gracile</i> (Slender Wood Fescue)	XI. 173
Hedgerows and chalk downs. June—August.	
<i>Lolium perenne</i> (Rye Grass)	XI. 185
Common everywhere. June—August.	
<i>Agropyrum caninum</i> (Bearded Couch Grass)	XI. 176
Woods, etc. July.	
<i>Triticum repens</i> (Common Couch Grass)	XI. 178
Fields, etc. June—August.	
<i>Nardus stricta</i> (Mat Grass)	XI. 197
Heaths and commons. May—August.	
<i>Hordeum secalinum</i> (Meadow Barley)	XI. 193
Meadows by Thames and Kennet. June—July.	
<i>H. murinum</i> (Wall Barley)	XI. 194
Waste places, common. June—October.	



# Ferns, Horsetails, & Club Mosses.

---

## FILICES.

<i>Pteris aquilina</i> (Bracken)	XII. 145
Heaths and woods. July—August.	
<i>Blechnum Spicant</i> (Hard Fern)	XII. 143
Woods and heaths. July—August.	
<i>Asplenium Ruta-muraria</i> (Rue Fern)	XII. 135
Sonning Bridge. May—September.	
<i>Athyrium Filix-fœmina</i> (Lady Fern)	XII. 108
Damp woods. June—August.	
<i>Ceterach officinarum</i> (Scaly Spleenwort)	XII. 139
Soundess Farm, Nettlebed. April—October.	
<i>Polystichum aculeatum</i> (Prickly Shield Fern)	XII. 92
Mortimer West. July—August.	
<i>Lastrea Oreopteris</i> (Mountain Buckler Fern)	XII. 54
Damp woods, rare. July—August.	
<i>L. Filix-Mas</i> (Male Fern)	XII. 57
Common. June—July.	
<i>L. spinulosa</i> (Prickly Buckler Fern)	XII. 76
Padworth Common, etc. June—August.	
<i>L. dilatata</i> (Broad Buckler Fern)	XII. 82
Woods. July—Septmber.	
<i>Polypodium vulgare</i> (Common Polypody)	XII. 38
Banks, etc. August—October.	

**EQUISETACEÆ.**

<i>Equisetum maximum</i> (Great Horsetail)	XII. 150
Wood at Beenham. March—April.	
<i>E. arvense</i> (Field Horsetail)	XII. 152
Fields, etc. March.	
<i>E. sylvaticum</i> (Wood Horsetail)	XII. 156
Woods near Aldermaston. April.	
<i>E. palustre</i> (Marsh Horsetail)	XII. 157
Meadows, by Kennet, etc. June—August.	
<i>E. limosum</i> (Smooth Horsetail)	XII. 159
Ponds and slow streams. June—August.	

**LYCOPODIACEÆ.**

<i>Lycopodium inundatum</i> (Marsh Club-Moss)	XII. 14
Silchester Common. August—September.	



## ADDITIONS AND CORRECTIONS.

---

- Page 1. *Ranunculus fluitans* should as appear as *R. aquatilis*, with *fluitans* as one of the forms. *Heterophyllum* should have been omitted on page 2.
- ,, 4. *Sisymbrium palustre* appears on page 5 as *Nasturtium palustre*, by which name it is more generally known.
- ,, 7. *Polygala depressa* and *serpyllacea* are synonyms for the same plant.
- ,, 8. In *Cerastium quaternellum* a superfluous *r* has been introduced. *Stellaria semidecandrum* should be *Cerastium semidecandrum*. For *Arenaria trinervia* read *trinervis*.
- ,, 9. The *y* is omitted from *Claytonia perfoliata*.
- ,, 13. The Rev. W. H. Summers and Mr. A. Wallis report finding, in the summer of 1905, *Trifolium subterraneum* (Honeysuckle Trefoil) in lane near Sandford, and *T. scabrum* (Rough Trefoil) at Sandford and Padworth Common, two notable finds that justify these rare species being legitimately included in our local flora.
- ,, 14. *Astragalus glycyphylloides* is wrongly spelt with an *o*. The last *h* is omitted from *Lathyrus macrorhizus*.
- ,, 27. In the *Apargia*, *hirta* and *hispida* are misprinted *hirtum* and *hispidum*.
- ,, 31. The first *y* is omitted in *Hyoscyamus*.







